Supplier Declaration of Conformity (SDoC) In accordance with ISO/IEC 17050-1:2004

SDoC Identification Number	er': KATHAL1,2,3,	4,5. INTERIOR ELLIPSE G	LASS SEGMENTED WITH BRASS HIGHLIGHT ENCLOSED	D PENDANT LIGHTS WTY 1YR
Issuer details				
Name ² (of New Zealand manufa	cturer or importer):		Contact Address:	
CLA LIGHTING NEW ZEALA	CLA LIGHTING NEW ZEALAND		20C MANGA RD – SILVERDALE	
Telephone: 0011 64 9427 6133				
New Zealand Company No. (if applicable): 6232290		AUCKLAND NZ 0932		
		200		
Email Address: brenda@cla	ighting.co.nz			
Medium Risk Article – Deta	ills³ (Product nam	e, type, rating, brand	, model, batch numbers, and serial numbers,	as applicable):
KATHAL2– Pendant Input Voltage 220 KATHAL3– Pendant Input Voltage 220 KATHAL4– Pendant Input Voltage 220	0-240V SES 10W Smol 0-240V SES 10W Blue 0-240V SES 10W Frost	key Black Ellipse Quadrila Ellipse Quadrilateral Seg ed Ellipse Quadrilateral	Segment with Brass Highlight Enclosed OD150mmxH2 ateral Segment with Brass Highlight Enclosed OD150n ment with Brass Highlight Enclosed OD150mmxH290 Segment with Brass Highlight Enclosed OD150mmxH290	nmxH290mm 3M Cable WTY 1YR Imm 3M Cable WTY 1YR 290mm 3M Cable WTY 1YR
The Medium Risk Article lis	sted above, fully	complies:		
With cited standard(s), as liste	d ⁴ :		AS/	/NZC IEC C0227 E:2040
Standard number and issue year	AS/N7S 602	38:2015 Inc A1-2	AS/ Standard number and issue year:	NZS IEC 60227.5:2019
Edition / Amendment status:			Edition / Amendment status:	
Standard title:			Standard title:	
Edison screw lampholders – Amendment 1:2015			Polyvinyl chloride insulated cables of rated voltages up to	
			and including 450/750 V, Part 5: Flexible cables (cords)	
AS/NZS ZZ modified Yes No No N/A AS/NZS ZZ			AS/NZS ZZ modified Yes	No N/A
OR Complies with the Conform	nity Cooperation A	greement ⁵ Yes] No []	
Names and addresses of a	ny testina oraan			
ivanies and dualesses of d	ily testing organ	isation or body		
Name(s): SAA Approvals		Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41	72, Australia
	Ty testing organ	1	5/20 Rivergate Place, Murrarie, QLD, 41	72, Australia
Name(s): SAA Approvals	ny tesung organ	Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41	72, Australia
	ing testing organ	1	5/20 Rivergate Place, Murrarie, QLD, 41 5/20 Rivergate Place, Murrarie, QLD, 41	
Name(s): SAA Approvals	ny tesuing Organ	Address(es):		
Name(s): SAA Approvals	ny testing Organ	Address(es):		
Name(s): SAA Approvals Name(s): SAA Approvals		Address(es): Address(es):		72, Australia
Name(s): SAA Approvals Name(s): SAA Approvals	reports/certifical	Address(es): Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41	72, Australia
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) user	reports/certifical	Address(es): Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41. date that show how compliance is achie Report Certification or Document	72, Australia
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved:	reports/certifical	Address(es): Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s):	72, Australia eved Issue dates(s):
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity /	reports/certifical	Address(es): Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity /	reports/certifical	Address(es): Address(es):	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) user with cited standard is achieved: Certificate of Conformity / Certificate of Conformity /	reports/certificat d, to show how com Approval Approval	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of	reports/certificat d, to show how com Approval Approval	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) user with cited standard is achieved: Certificate of Conformity / Certificate of Conformity /	reports/certificat d, to show how com Approval Approval	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of	reports/certifical d, to show how com Approval Approval	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of Additional information ⁶ :	reports/certifical d, to show how com Approval Approval quality system involved	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of Additional information ⁶ : Declaration (signed for and of	reports/certificated, to show how come Approval	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA SAA-162204-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of Additional information ⁶ : Declaration (signed for and contains)	reports/certifical d, to show how com Approval Approval quality system involve on behalf of) seed by the issuer ⁷ : GING DIRECTOR	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA SAA-162204-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of Additional information ⁶ : Declaration (signed for and of the Name and position as authorized HEATH COOPER — MANAC Issuer Identification (as affixed)	reports/certifical d, to show how com Approval Approval quality system involve on behalf of) red by the issuer?: GING DIRECTOR d to the article):	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA SAA-162204-EA	72, Australia eved Issue dates(s): 21.12.2016
Name(s): SAA Approvals Name(s): SAA Approvals Reference to relevant test Standard(s) or document(s) use with cited standard is achieved: Certificate of Conformity / Certificate of Conformity / Reference to any management of Additional information ⁶ : Declaration (signed for and of Name and position as authorized HEATH COOPER – MANAGEMENT (SAA Approvals)	reports/certifical d, to show how com Approval Approval quality system involve on behalf of) red by the issuer?: GING DIRECTOR d to the article):	Address(es): Address(es): tion and the issue	5/20 Rivergate Place, Murrarie, QLD, 41 date that show how compliance is achie Report Certification or Document reference N°(s): SAA-162546-EA SAA-162204-EA	72, Australia eved Issue dates(s): 21.12.2016

SUPPLIER DECLARATION OF CONFORMITY (SDOC)

In accordance with ISO/IEC 17050-1:2004

Notes for completion

- 1. Every declaration of conformity should be uniquely identified.
- 2. The responsible issuer must be unequivocally specified.
- 3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
- 4. The cited standard is the applicable specific safety standard exactly as it is cited in <u>Schedule 4 of the Electricity (Safety)</u> <u>Regulations 2010</u> or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
- 5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
- 6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
- 7. Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See <u>listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles</u>, on the Energy Safety website <u>www.energysafety.govt.nz</u>.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.